

Another look at a problem from Hugo Steinhaus

Let a, b, c, d be, in order, the 4 sides of a convex polygon; let a and b meet at an end point of diagonal x , and let y be the other diagonal. If among the 3 edges meeting at a vertex, 1 is shorter than the other 2, that shortest one is marked. We have to show that at least one of the diagonals remains unmarked, i.e. we have to show

$$(0) \quad [(a \leq x \vee b \leq x) \wedge (c \leq x \vee d \leq x)] \vee [(b \leq y \vee c \leq y) \wedge (d \leq y \vee a \leq y)]$$

The first line expresses that x is unmarked; it is a conjunction of 2 conditions, 1 for each of its end points. The second line similarly covers y . Please note that in demonstrandum (0), each diagonal is compared with each side of our polygon.

To connect lengths of sides and diagonals with the convexity, we appeal to the

Theorem 0 In a convex quadrilateral, the sum of the lengths of the diagonals is at least the sum of the lengths of two opposite sides.

(This theorem can be proved by appealing twice to the triangular inequality and using that convexity means that the diagonals intersect

each other between their end points.) We propose to show that (0) follows from

$$(1) \quad a+c \leq x+y \quad \wedge \quad b+d \leq x+y \quad .$$

As you see, we have not chosen a pair of opposite sides, we have taken them both, mainly because the \leq sides all occur in (0), but also because, in this early stage, I did not want to destroy the symmetry. Finally there is a fair chance that we need both conjuncts of (1) since $a+c \leq x+y$ by itself does not imply that x and y are the diagonals of a convex quadrilateral.

Before continuing with (1), we rewrite (0): by distributing the outer \vee over the \wedge , we can express (0) as a conjunction of four terms, and it is always nice to have your demonstrandum as a conjunction because one can deal with the conjuncts separately. By distribution of the outer \vee we rewrite our demonstrandum (0) as

$$(2) \quad (a \leq x \vee b \leq x \vee b \leq y \vee c \leq y) \wedge \\ (c \leq x \vee d \leq x \vee d \leq y \vee a \leq y) \wedge \\ (a \leq x \vee b \leq x \vee d \leq y \vee a \leq y) \wedge \\ (c \leq x \vee d \leq x \vee b \leq y \vee c \leq y) \quad .$$

We now have to show $(1) \Rightarrow (2)$. We do so by eliminating to begin with the $+$ sign, using

Theorem 1 $p+q \leq r+s \Rightarrow p \leq r \vee q \leq s$.

(By taking the contrapositive, one recognizes a monotonicity property of addition.)

We now observe for any real a, b, c, d, x, y

(1)

\Rightarrow {Theorem 1, 4 times}

$(a \leq x \vee c \leq y) \wedge$

$(c \leq x \vee a \leq y) \wedge$

$(b \leq x \vee d \leq y) \wedge$

$(d \leq x \vee b \leq y)$

\Rightarrow {termwise implications; \wedge monotonic}


(2)

QED

* * *

I recorded the above proof so that we can compare it with the argument by Hugo Steinhaus. [Note: Steinhaus draws only the line segments that we called "marked" and he assumes all distances to be different.] I quote:

"Let us suppose that the newly formed figure includes two intersecting segments AB and CD.



Let us suppose that the points A and B have been connected by a segment because B lies nearest to A; and let us suppose similarly that the point D lies nearest to point C. Then $AB < AD$, $CD < CB$, whence $AB + CD < AD + CB$, which contradicts the proposition that in a convex quadrangle the sum of the diagonals is greater than the sum of two opposite sides.

In this way we have proved [...] the theorem."

My proof seems to repeat the same argument about four times, each time with a different permutation of the letters; I have not been able to avoid that repetition by exploiting the symmetries. By phrasing the argument as a *reductio ad absurdum*, Steinhaus could postpone the introduction of nomenclature and thus reduce the repetition somewhat.

For a completely different proof by Lyn Pierce, see EWD1251.

Austin, 16 October 2001

prof. dr. Edsger W. Dijkstra
 Department of Computer Sciences
 The University of Texas at Austin
 Austin, TX 78712-1188
 USA